

corally catalog-92

CORALLY



## **CORALLY:**

At Corally we use high tech, quality engineering to provide you, as racer, with superior racing equipment. State of the art production methods and extensive R&D ensure that every Corally product sets the pace of development in the R/C competition world. We are not followers of fashion but leaders in innovation and development.

This catalogue details the extensive range of Corally products which are being used by world class drivers.

### **Features of Corally cars:**

All Corally cars are designed to give ultimate performance and consistency in all racing conditions with minimal maintenance.

- All cars come completely assembled.
- All Corally cars use a free floating T-Bar which requires no tweak adjustments.
- The unique, super smooth differential unit uses a one piece graphite axle. Both drive rings sit on large rubber O-rings to ensure perfect alignment, zero slip and maximum torque handling.
- The Corally rear wheels are double supported to ensure true running.
- Corally cars have ball bearings fitted on all bearing surfaces, and within the differential and spur gear.
- All cars use a precision power pod placing the motor exactly on the center line of the car, minimizing any possible tweak effect. The large surface area of the power pod and Coral\* T-Bar provides motor cooling superior to any other competition car on the market.
- All Corally cars feature threaded, high strength body mounting posts which can be adjusted by hand.
- Each car has 4 front and 6 rear ride height adjustment steps. Each step is small enough to give optimum ride height and handling at any tire size.
- Corally cars use a revolutionary light weight C-Clip design to enable rapid wheel changing and ride height adjustment. These C-Clips can be fitted and removed by hand to speed up and simplify maintenance.
- All Corally 1/10 scale cars have front bumpers to absorb impacts. These bumpers also feature alternative body post mounting positions.
- All Corally cars (except SP 10 GS/SS) come complete with battery clamps and holders. The cells may be clamped or glued to the holders.
- All cars come with either NASCAR or Corally glued and trued wheels.
- All cars featuring Anti-Roll front beams are equipped with 2 front dampers.

\* Coral is a new hardened alloy which has equal rigidity in all directions. It does not age or weaken and so remains consistent throughout it's life.

All prices & specifications can be changed without further notice.



**CORALLY**<sup>®</sup>

## CORALLY SP 12

This car is current 1/12 scale on-road European Champion. Its quality engineering, consistency and superb handling has tempted many big names to drive Corally cars.

# SP12



*(does not include: radio equipment/batteries/speed control/motor)*

SP 12	
Order no. :	00091
Price :	US \$ 237,00 Hfl. 450,00
Wheelbase :	200 mm 7.9"
Front width :	164 mm 6.5"
Rear width :	164 mm 6.5"
Chassis :	Coral*
Rear axle :	Graphite
Motorpod :	Coral*
Differential :	Ball type
Steering :	Center point
Ride height adjustment,	
Front :	4 positions
Rear :	6 positions
Suspension,	
Front :	Coral* front beam, coil springs
Rear :	Free floating Coral* T-bar
Damping :	Fully enclosed silicon damper
Bearings :	9 ball bearings
Battery clamps & holders	
<b>Options:</b>	
- T-bar adjuster	- Wing mount posts
- Front dampers	- Extra hard coil springs

## CORALLY SP 12 G

The SP 12 G is the latest of Corally design, introducing a revolutionary Coral anti-roll trailing front beam with coil springs and dampers. The proven free floating T-bar rear suspension is retained to provide maximum rear end traction.

# SP12 G



*(does not include: radio equipment/batteries/speed control/motor)*

\* Coral is a new hardened alloy which has equal rigidity in all directions. It does not age or weaken and so remains consistent throughout its life.

SP 12 G	
Order no. :	00092
Price :	US \$ 276,00 Hfl. 525,00
Wheelbase :	200 mm 7.9"
Front width :	164 mm 6.5"
Rear width :	164 mm 6.5"
Chassis :	Graphite
Rear axle :	Graphite
Motorpod :	Coral*
Differential :	Ball type
Steering :	Center point
Ride height adjustment,	
Front :	4 positions
Rear :	6 positions
Suspension,	
Front :	Coral* anti-roll beam, coil springs
Rear :	Free floating Coral* T-bar
Damping,	
Front :	2 dampers
Rear :	Fully enclosed silicon damper
Bearings :	9 ball bearings
Battery clamps & holders	
<b>Options:</b>	
- T-bar adjuster	- Wing mount posts
- Extra hard coil springs	

## CORALLY SP 10

The SP 10 was designed around the succesful SP 12 to compete in the 1/10 scale on-road class and has proven to be succesful across the world. This car is current 1/10 on-road European Champion.



*(does not include: radio equipment/batteries/speed control/motor/shock absorber,*

### SP 10 Corally Wheels

Order no. : 00100  
Price : US \$ 260,00 Hfl. 450,00

Wheelbase : 258 mm 10.2"  
Front width : 208 mm 8.2"  
Rear width : 211 mm 8.3"


Chassis : Coral\*  
Rear axle : Graphite  
Motorpod : Coral\*  
Differential : Ball type  
Steering : Center point  
Ride height adjustment,  
Front : 4 positions  
Rear : 6 positions  
Suspension,  
Front : Coral\* front beam,  
coil springs  
Rear : Free floating Coral\* T-bar  
Damping : Fully enclosed silicon damper  
Bearings : 10 ball bearings  
Front bumper, battery clamps & holders

#### Options:

- T-bar adjuster
- Wing mount posts
- Extra hard coil springs
- Front dampers
- Oil filled shock absorber set
- U.S. Wheel conversion kit

## CORALLY SP 10 X

This car is based on the SP 10 but uses the new anti-roll frontbeam and revolutionary caster/camber adjustment system.



*(does not include: radio equipment/batteries/speed control/motor/shock absorber)*

\* Coral is a new hardened alloy which has equal rigidity in all directions. It does not age or weaken and so remains consistent throughout it's life.

### SP 10 X Corally Wheels

Order no. : 00101  
Price : US \$ 289,00 Hfl. 550,00

Wheelbase : 258 mm 10.2"  
Front width : 208 mm 8.2"  
Rear width : 211 mm 8.3"

Chassis : Coral\*  
Rear axle : Graphite  
Motorpod : Coral\*  
Differential : Ball type  
Steering : Center point  
Ride height adjustment,  
Front : 4 positions  
Rear : 6 positions  
Suspension,  
Front : Coral\* anti-roll beam,  
coil springs  
Rear : Free floating Coral\* T-bar  
Damping,  
Front : 2 dampers  
Rear : Fully enclosed silicon damper  
Bearings : 10 ball bearings  
Front bumper, battery clamps & holders,  
Caster/Camber system

#### Options:

- T-bar adjuster
- Wing mount posts
- Extra hard coil springs
- Oil filled shock absorber set
- U.S. Wheel conversion kit

## CORALLY SP 10 G / SP 10 G N

The SP 10 G uses a graphite chassis, new anti-roll frontbeam and revolutionary caster/camber adjustment system. This car is also available as the SP 10 G N, equipped with NASCAR wheels.



*(does not include: radio equipment/batteries/speed control/motor/shock absorber)*

## CORALLY SP 10 GS / SP 10 GS SUPER SPEEDWAY

The SP 10 GS uses a graphite chassis with 4 battery slots at the right and 6 at the left hand side. This makes the car a versatile oval and road racer. The car also comes complete with NASCAR wheels with glued and trued tires. The chassis tuning Caster/Camber anti-roll front beam is also incorporated in this design.

The SP 10 GS is also available in a **Super Speedway** version with narrow track to be used on high speed ovals with the latest narrow body shells.



*(does not include: radio equipment/batteries/speed control/motor/shock absorber)*

\* Coral is a new hardened alloy which has equal rigidity in all directions. It does not age or weaken and so remains consistent throughout it's life.

### SP 10 G / SP 10 GN Corally Wheels / NASCAR Wheels

Order no.	: 00102	/	00103
Price	: US \$ 313,00	/	US \$ 329,00
	Hfl. 595,00	/	Hfl. 625,00

Wheelbase	: 258 mm	10.2"	/	258 mm	10.2"
Front width	: 208 mm	8.2"	/	211 mm	8.3"
Rear width	: 211 mm	8.3"	/	240 mm	9.4"

Chassis	: Graphite
Rear axle	: Graphite
Motorpod	: Coral*
Differential	: Ball type
Steering	: Center point
Ride height adjustment,	
Front	: 4 positions
Rear	: 6 positions
Suspension,	
Front	: Coral* anti-roll beam, coil springs
Rear	: Free floating Coral* Tbar
Damping,	
Front	: 2 dampers
Rear	: Fully enclosed silicon damper
Bearings	: 10 ball bearings
Front bumper, battery clamps & holders,	
Caster/Camber system	

#### Options:

- Tbar adjuster
- Wing mount posts
- Extra hard coil springs
- Oil filled shock absorber set

### SP 10 GS / SP 10 GS SS NASCAR Wheels

Order no.	: 00104	/	00105
Price	: US \$ 329,00	/	US \$ 329,00
	Hfl. 625,00	/	Hfl. 625,00

Wheelbase	: 258 mm	10.2"	/	258 mm	10.2"
Front width	: 212 mm	8.3"	/	188 mm	7.4"
Rear width	: 240 mm	9.4"	/	216 mm	8.5"

Chassis	: Graphite
Rear axle	: Graphite
Motorpod	: Coral*
Differential	: Ball type
Steering	: Center point
Ride height adjustment,	
Front	: 4 positions
Rear	: 6 positions
Suspension,	
Front	: Coral* anti-roll beam, coil springs
Rear	: Free floating Coral* Tbar
Damping,	
Front	: 2 dampers
Rear	: Fully enclosed silicon damper
Bearings	: 10 ball bearings
Front bumper, battery clamps & holders,	
Caster/Camber system	

#### Options:

- Tbar adjuster
- Wing mount posts
- Extra hard coil springs
- Oil filled shock absorber set
- Nerf wing

## CORALLY SP 10 OVAL / SP 10 OVAL SUPER SPEEDWAY

This car uses a Coral\* chassis with an extra left hand side battery holder position, to make the car a top class oval racer as well as a competitive road racer. The Caster/Camber adjustment system again is an important asset to chassis tuning. The oval car comes fitted with a nerf bar to protect the car on the high speed ovals and has wheel hubs for use with all U.S. Style wheels. The SP 10 Oval is also available as **Super Speedway** version.



**SP10 OVAL**

(does not include: radio equipment/batteries/speed control/motor/shock absorber)

### SP 10 Oval / SP 10 Oval SS NASCAR Wheels

Order no.	: 00106 / 00107
Price	: US \$ 329,00 / US \$ 329,00
	Hfl. 625,00 / Hfl. 625,00

Wheelbase	: 258 mm 10.2" / 258 mm 10.2"
Front width	: 212 mm 8.3" / 188 mm 7.4"
Rear width	: 240 mm 9.4" / 216 mm 8.5"


Chassis	: Coral*
Rear axle	: Graphite
Motorpod	: Coral*
Differential	: Ball type
Steering	: Center point
Ride height adjustment,	
Front	: 4 positions
Rear	: 6 positions
Suspension,	
Front	: Coral* anti-roll beam, coil springs
Rear	: Free floating Coral* T-bar
Damping,	
Front	: 2 dampers
Rear	: Fully enclosed silicon damper
Bearings	: 10 ball bearings
Front bumper, battery clamps & holders,	
Caster/Camber system, T-bar adjuster,	
nerf wing	

#### Options:

- Extra hard coil springs
- Wing mount posts
- Oil filled shock absorber set

## CORALLY CASTER/CAMBER SYSTEM

The Corally Caster/Camber System allows the competition driver to tune his car to any oval or road course, for that important edge over the opposition. This simple system provides Caster and Camber adjustments separately on each wheel to tune the car quickly to each track. The system uses precision wedges on the Coral front suspension beam to angle the king pin to give either Caster, Camber or a combination of both for up to 8 degrees in 12 positions. Give yourself this significant advantage to corner tighter and faster, leaving the competition in your dust.



\* Coral is a new hardened alloy which has equal rigidity in all directions. It does not age or weaken and so remains consistent throughout its life.

## CORALLY & DU-MOR GEARS

Corally offers a complete line of lightweight pinion and spur gears. The gears are available in 0.5 module, 48 and 64 pitch. The new line of cars come equipped with 48 pitch spurs because this has become a worldwide standard. Corally has chosen Du-Mor 48 and 64 pitch spurs. 64 Pitch has a finer tooth form which has higher efficiency but is also more fragile (not recommended for beginners).

Corally lightweight pinions are machined to give 'true tooth form' for whisper gear mesh and unbeatable efficiency. High quality hardened Coral\* prevents distortion and gives high strength to weight ratio.

Corally 0.5 module spur gears are machined to give an accurate true running performance. The 'true tooth form' spur gears are matched to the pinions to give whisper gear mesh. The material used exclusively for Corally 0.5 Spur gears contains an impregnated lubricant to further reduce friction. Corally spur gears do not suffer from the losses associated with sideways movement common to many gears, they have a unique captive drive ball design to prevent this sideways movement of the spur gear and so improve efficiency.

Corally also supplies Du-Mor and 'Star force' spur gears. All Du-Mor and Star Force spurs feature carbon fibre filled nylon molybdenum construction, giving them smoothest operation and greatest strength to weight ratio.



0.5 Module				48 Pitch				64 Pitch			
Hardened Pinions		Machined Spurs		Hardened Pinions		Moulded Spurs		Hardened Pinions		Moulded Spurs	
US \$ 7,10	Hfl. 13,50	US \$ 7,10	Hfl. 13,50	US \$ 7,10	Hfl. 13,50	US \$ 6,00	Hfl. 11,40	US \$ 7,10	Hfl. 13,50	US \$ 6,00	Hfl. 11,40
Part no.	Part no.	Part no.	Part no.	Part no.	Part no.	Part no.	Part no.	Part no.	Part no.	Part no.	Part no.
13 Tooth	2213	77 Tooth	2277	12 Tooth	2312	Du-Mor:		15 Tooth	2415	Dur-Mor:	
14 Tooth	2214	78 Tooth	2278	13 Tooth	2313	78 Tooth	2378	16 Tooth	2416	98 Tooth	24098
15 Tooth	2215	79 Tooth	2279	14 Tooth	2314	81 Tooth	2381	17 Tooth	2417	100 Tooth	24100
16 Tooth	2216	80 Tooth	2280	15 Tooth	2315	86 Tooth	2386	18 Tooth	2418	104 Tooth	24104
17 Tooth	2217	81 Tooth	2281	16 Tooth	2316	90 Tooth	2390	19 Tooth	2419	108 Tooth	24108
18 Tooth	2218	82 Tooth	2282	17 Tooth	2317			20 Tooth	2420	120 Tooth	24120
19 Tooth	2219	83 Tooth	2283	18 Tooth	2318	Star Force:		21 Tooth	2421		
20 Tooth	2220	84 Tooth	2284	19 Tooth	2319	87 Tooth	2387	22 Tooth	2422	Star Force:	
21 Tooth	2221	85 Tooth	2285	20 Tooth	2320	96 Tooth	2396	23 Tooth	2423	110 Tooth	24110
22 Tooth	2222	86 Tooth	2286	21 Tooth	2321			24 Tooth	2424	115 Tooth	24115
23 Tooth	2223	87 Tooth	2287	22 Tooth	2322			25 Tooth	2425	125 Tooth	24125
24 Tooth	2224	88 Tooth	2288	23 Tooth	2323			26 Tooth	2426		
25 Tooth	2225	89 Tooth	2289	24 Tooth	2324			27 Tooth	2427		
26 Tooth	2226	90 Tooth	2290	25 Tooth	2325			28 Tooth	2428		
27 Tooth	2227	91 Tooth	2291	26 Tooth	2326			29 Tooth	2429		
		92 Tooth	2292					30 Tooth	2430		
								31 Tooth	2431		
								32 Tooth	2432		
								33 Tooth	2433		
								34 Tooth	2434		
								35 Tooth	2435		

All pinion gears are supplied with set screw.

## CORALLY RACING TIRES

Corally offers a range of tires for both 1/10 and 1/12 scale competition racing. They are mounted onto wheels, ground to run true and have an excellent surface finish. The different tire compounds will suit almost all conditions.



	1/12 scale tires only			1/12 scale tires on Corally wheels			1/10 scale tires only			1/10 scale tires on Corally wheels			1/10 scale tires on NASCAR wheels		
	Part	US \$	Hfl.	Part	US \$	Hfl.	Part	US \$	Hfl.	Part	US \$	Hfl.	Part	US \$	Hfl.
<b>Rear:</b>															
Wheel only				75811	4,00	7,60				75815	6,60	12,50	75806	6,60	12,50
Green	1402	7,10	13,50	14502	15,60	29,50	14202	13,20	24,95	14602	22,40	42,50	14702	18,00	34,20
Yellow							14203	13,20	24,95				14700	18,00	34,20
Silver	1407	7,10	13,50	14507	16,60	31,50	14206	13,20	24,95	14607	23,50	44,50			
Gold	1406	7,10	13,50	14506	16,60	31,50	14207	13,20	24,95	14606	23,50	44,50			
<b>Front:</b>															
Wheel only				75801	4,00	7,60				75805	6,60	12,50	75816	6,60	12,50
Orange							14214	8,20	15,50				14711	15,00	28,50
Blue							14211	8,20	15,50	14611	18,50	35,00	14712	15,00	28,50
Green	1412	7,10	13,50	14512	14,50	27,50	14212	8,20	15,50	14612	18,50	35,00			
Silver	1417	7,10	13,50	14517	16,60	31,50	14217	8,20	15,50	14617	19,80	37,50			
Gold	1416	7,10	13,50	14516	16,60	31,50	14216	8,20	15,50	14616	19,80	37,50			

## CORALLY TIRE SIZING MACHINE

The Corally tire sizing machine comes completely ready to use. The adapters that come with the machine will easily fit all 1/10 and 1/12 scale CORALLY wheels as well as all 1/10 and 1/12 scale US Style wheels (Aero, BBS, NASCAR etc...).

Features; works directly on mains, portable, easy to use, almost no maintenance required, safe and quiet operation.

T.S. Machine	Part	US \$	Hfl.
220V	162510	197,40	375,00
110V	162511	197,40	375,00
Sanding drum	162515	2,60	4,95



Wheel decal 1  
US \$ 2,10 Hfl. 3,95  
Part no. 1490



Wheel decal 2  
US \$ 2,10 Hfl. 3,95  
Part no. 1492






## CORALLY MOTOR MANAGEMENT SYSTEM II

Corally was the company who redesigned the electronic speed control. Corally developed the first high frequency speed control, which was designed to understand R/C racing cars and give ultimate efficiency. The extensive R&D program payed off, and overnight all conventional speed controls were outclassed and outdated. The competition tried to get back on terms, but only 'got half the picture'. By using exclusive micro-electronics and hybrid technology we can now offer you the MMS II.



### The Features:

- State of the art digital circuitry used throughout.
- Exclusive, hybrid microprocessor.
- Nicad regenerating during braking.
- Adjustable current limiter.
- 5000 Hz frequency switching for higher efficiency.
- Protective thermal shutdown.
- Pulse checker with LED's for quick set up.
- B.E.C. to power receiver and servos.
- Module wiring for easy removal and fitting.
- Includes world famous Corally connectors.



Part no.	US \$	Hfl.
1825 Corally MMS II	236,90	450,00
18271 Corally switch 10 cm	6,20	11,76
18272 Corally switch 20 cm	6,20	11,76
18281 Connector cable Futaba 10 cm.	4,60	8,80
18282 Connector cable Futaba 20 cm	4,60	8,80
18283 Connector cable KoPropo	4,60	8,80
18284 Connector cable Sanwa	4,60	8,80

## CORALLY CONNECTORS, SOCKETS & SOLDERING TAGS

These are the best connectors available for competition model racing cars. The connectors have a very large contact surface and can therefore handle the currents required by today's 'top level' competition motors. They are gold plated to prevent the build up of an oxide layer common to other metals, such as silver. The plugs are made of a special material to ensure that the connection remains good throughout it's life. The wire sockets are used for in line connections in the wire. The heavy duty battery soldering tags minimize voltage losses.





The sockets are to be used for direct soldering to the cells.



Corally plugs  
US \$ 6,10 Hfl. 11,50  
Part no. 1634



Battery sockets  
US \$ 3,20 Hfl. 5,95  
Part no. 1631




Battery connectors  
US \$ 6,10 Hfl. 11,50  
Part no. 1630



Wire sockets  
US \$ 3,50 Hfl. 6,50  
Part no. 1633




Wire connector set  
US \$ 6,60 Hfl. 12,50  
Part no. 1632



Soldering tags  
US \$ 2,60 Hfl. 4,95  
Part no. 1750



Chassis graphite SP12G  
US \$ 52,00 Hfl. 99,00  
Part no. 750040



Chassis coral SP12  
US \$ 52,00 Hfl. 99,00  
Part no. 75001




Chassis coral lightweight SP12  
US \$ 52,00 Hfl. 99,00  
Part no. 75002




Chassis coral long wheelbase SP12  
US \$ 52,00 Hfl. 99,00  
Part no. 75003




Chassis graphite SP10G  
US \$ 67,50 Hfl. 128,00  
Part no. 750070




Chassis graphite SP10GS/SS  
US \$ 67,50 Hfl. 128,00  
Part no. 750071




Chassis coral SP10, SP10X  
US \$ 71,00 Hfl. 135,00  
Part no. 75005



Chassis coral oval SP10 OVAL/SS  
US \$ 71,00 Hfl. 135,00  
Part no. 75006



T-Bar 1-12  
US \$ 27,70 Hfl. 52,50  
Part no. 75201



T-Bar 1-10  
US \$ 27,70 Hfl. 52,50  
Part no. 75205




Radio tray SP12, SP12G  
US \$ 17,90 Hfl. 33,95  
Part no. 75321



Radio tray SP10, X, G, OVAL/SS  
US \$ 27,40 Hfl. 51,95  
Part no. 75325



Frontbeam A.R. SP12G  
US \$ 23,70 Hfl. 45,00  
Part no. 750540




Frontbeam SP12  
US \$ 23,70 Hfl. 45,00  
Part no. 75051




Frontbeam A.R. SP10X, G, GS, OVAL  
US \$ 29,80 Hfl. 56,50  
Part no. 750590




Frontbeam A.R. SS SP10GS/SS,  
OVAL SS  
US \$ 29,80 Hfl. 56,50  
Part no. 750591



Frontbeam SP10  
US \$ 29,80 Hfl. 56,50  
Part no. 75055



Wishbone conversion set SP12  
US \$ 34,30 Hfl. 65,00  
Part no. 75052



Wishbone left or right SP10  
US \$ 15,60 Hfl. 30,00  
Part no. 75057


Wishbone strip SP10  
US \$ 4,30 Hfl. 8,00  
Part no. 750531

Wishbone left or right SP12  
US \$ 15,60 Hfl. 30,00  
Part no. 75053

Wishbone strip SP12  
US \$ 6,40 Hfl. 12,00  
Part no. 75052...




Wishbone conversion set SP10  
US \$ 34,30 Hfl. 65,00  
Part no. 75056



Using this aluminium screw set makes your car 12 grams lighter

Screw set aluminium  
US \$ 6,60 Hfl. 12,50  
Part no. 76072




Damperstrip SP10GS/SS  
US \$ 6,40 Hfl. 12,00  
Part no. 75327



Nerf wing SP10GS/SS, OVAL/SS  
US \$ 8,50 Hfl. 16,00  
Part no. 75960



Frontbumper 1-10  
US \$ 11,90 Hfl. 22,50  
Part no. 76100




Transponder holder 1-10 & 1-12  
US \$ 4,50 Hfl. 8,50  
Part no. 76101




Motorpod 1-12  
US \$ 57,90 Hfl. 109,95  
Part no. 75151




Motorpod 1-10  
US \$ 59,30 Hfl. 112,50  
Part no. 75155




T-Bar adjuster 1-12  
US \$ 19,80 Hfl. 37,50  
Part no. 75204



T-Bar adjuster SP10, X, G, OVAL/SS  
US \$ 19,80 Hfl. 37,50  
Part no. 752041




T-Bar adjuster SP10GS/SS  
US \$ 19,80 Hfl. 37,50  
Part no. 752042




Pivot set frontbeam SP12  
US \$ 5,30 Hfl. 9,95  
Part no. 75061




Pivot set frontbeam SP10  
US \$ 5,30 Hfl. 9,95  
Part no. 75065




Ball joint set T-Bar 1-10 & 1-12  
US \$ 7,90 Hfl. 14,95  
Part no. 75290




Ball joint set front A.R. SP12G  
US \$ 9,00 Hfl. 17,00  
Part no. 75291



Ball joint set front A.R. SP10X, G, GS/SS, OVAL/SS  
US \$ 9,00 Hfl. 17,00  
Part no. 75295



Bumper ring SP12G  
US \$ 4,50 Hfl. 8,50  
Part no. 76102



Ball bearing 5x9  
US \$ 14,30 Hfl. 27,00  
Part no. 1121



Ball bearing 1/4 x 3/8  
US \$ 14,30 Hfl. 27,00  
Part no. 1124



Ball bearing 7 x 11  
US \$ 14,30 Hfl. 27,00  
Part no. 1126



Body post set 48 MM SP 12  
US \$ 6,60 Hfl. 12,50  
Part no. 75700



Body post set 50 MM  
US \$ 6,60 Hfl. 12,50  
Part no. 75701



Body post set 65 MM  
US \$ 6,60 Hfl. 12,50  
Part no. 75702



Body post set 80 MM  
US \$ 6,60 Hfl. 12,50  
Part no. 75703



Body post nut  
US \$ 4,00 Hfl. 7,50  
Part no. 75710




Trackrod 1-12  
US \$ 8,40 Hfl. 15,95  
Part no. 1017




Trackrod 1-10  
US \$ 8,40 Hfl. 15,95  
Part no. 1018



Damper syrup / hard  
US \$ 4,20 Hfl. 7,95  
Part no. 8000 / 80001



Damperpost 1-12  
US \$ 6,60 Hfl. 12,50  
Part no. 75350



Damperpost 1-10  
US \$ 6,60 Hfl. 12,50  
Part no. 75355




Damperplate 1-10 & 1-12  
US \$ 13,70 Hfl. 25,95  
Part no. 75380



Damperplate with shockmount  
US \$ 13,70 Hfl. 25,95  
Part no. 75595




Shock absorber set 1-10 & 1-12  
US \$ 29,00 Hfl. 55,00  
Part no. 75590



Shock absorber 1-10  
US \$ 14,70 Hfl. 28,00  
Part no. 76230




Damper set rear 1-10 & 1-12  
US \$ 8,40 Hfl. 15,95  
Part no. 75351



Damper set front 1-10 & 1-12  
US \$ 15,30 Hfl. 29,00  
Part no. 75580



Spring set front 1-10 & 1-12  
US \$ 7,90 Hfl. 14,95  
Part no. 75570



Springs front extra hard 1-10 & 1-12  
US \$ 3,20 Hfl. 6,00  
Part no. 75572



Torx 10 wrench  
US \$ 4,20 Hfl. 7,95  
Part no. 1603



Sticker sheets (2)  
US \$ 3,20 Hfl. 6,00  
Part no. 90080



Rear axle 1-12  
US \$ 44,80 Hfl. 85,00  
Part no. 75861




Rear axle 1-10  
US \$ 48,70 Hfl. 92,50  
Part no. 75865




Front axle 1-12  
US \$ 6,00 Hfl. 11,25  
Part no. 75851



Front axle 1-10  
US \$ 6,00 Hfl. 11,25  
Part no. 75855




King pin SP10, SP12/G  
US \$ 6,00 Hfl. 11,25  
Part no. 75770




King pin caster/camber SP10X, G,  
GS/SS, OVAL/SS  
US \$ 6,00 Hfl. 11,25  
Part no. 75771



Steering blocks 1-10 & 1-12  
US \$ 6,00 Hfl. 11,25  
Part no. 75791



King pin shims 1-10 & 1-12  
US \$ 2,10 Hfl. 3,95  
Part no. 75781




Caster/camber set SP10X, G, GS/SS,  
OVAL/SS  
US \$ 6,40 Hfl. 12,00  
Part no. 75772




Bearing holder set 1-10 & 1-12  
US \$ 5,30 Hfl. 9,95  
Part no. 75930




Battery clamp system 1-10 & 1-12  
US \$ 4,30 Hfl. 8,00  
Part no. 16171




Battery holders 1-10 & 1-12  
US \$ 6,60 Hfl. 12,50  
Part no. 16170



Servo post set SP10/SP12  
US \$ 6,60 Hfl. 12,50  
Part no. 75491




Servo post set aluminium SP12G,  
SP10X, G, GS/SS, OVAL/SS  
US \$ 7,40 Hfl. 14,00  
Part no. 75492




Wing mount posts 1-10 & 1-12  
US \$ 6,40 Hfl. 12,00  
Part no. 75951




Radio tray posts 1-10 & 1-12  
US \$ 9,50 Hfl. 18,00  
Part no. 75301



Torx screws M3 x 8FH  
US \$ 3,20 Hfl. 6,00  
Part no. 1245




Torx screws M3 x 6RH /  
M3 x 8RH  
US \$ 3,20 Hfl. 6,00  
Part no. 1246 / 1248



Pinion set screw  
US \$ 3,20 Hfl. 6,00  
Part no. 2210



Small parts assortment 1-10 & 1-12  
US \$ 9,50 Hfl. 18,00  
Part no. 76071



Left wheel plate 1-12  
US \$ 4,20 Hfl. 7,95  
Part no. 75821



Driver plate 1-12  
US \$ 4,20 Hfl. 7,95  
Part no. 75841



Left wheel plate 1-10  
US \$ 5,30 Hfl. 9,95  
Part no. 75825



Driver plate 1-10  
US \$ 5,30 Hfl. 9,95  
Part no. 75845



U.S. wheel conversion set 1-10  
US \$ 42,10 Hfl. 79,95  
Part no. 76210



U.S. wheel hub left 1-10  
US \$ 17,90 Hfl. 34,00  
Part no. 762090



U.S. wheel hub right 1-10  
US \$ 17,90 Hfl. 34,00  
Part no. 762080



Corally wheel conversion set 1-10  
US \$ 8,50 Hfl. 16,00  
Part no. 76220




U.S. wheel conversion set SS 1-10  
US \$ 42,10 Hfl. 79,95  
Part no. 76211




U.S. wheel hub left SS 1-10  
US \$ 17,90 Hfl. 34,00  
Part no. 762091




U.S. wheel hub right SS 1-10  
US \$ 17,90 Hfl. 34,00  
Part no. 762081




U.S. front wheel inserts 1-10  
US \$ 3,70 Hfl. 7,00  
Part no. 76212



Spare parts set diff 1-10 & 1-12  
US \$ 6,60 Hfl. 12,50  
Part no. 1002



Diff balls 1/8 inch 1-10 & 1-12  
US \$ 1,60 Hfl. 2,95  
Part no. 1008




Thrust bearing 1-10 & 1-12  
US \$ 3,70 Hfl. 6,95  
Part no. 75911




Thrust bearing set U.S. 1-10  
US \$ 3,70 Hfl. 6,95  
Part no. 75912




Diff nut set 1-10 & 1-12  
US \$ 4,80 Hfl. 9,00  
Part no. 75920



Clipset 1-10 & 1-12  
US \$ 4,80 Hfl. 8,95  
Part no. 76061



Anti roll mast 1-12  
US \$ 6,00 Hfl. 11,25  
Part no. 10400




Aerial 1-10  
US \$ 4,20 Hfl. 7,95  
Part no. 10421

## TEAM CORALLY MODIFIEDS, WHY COMPROMISE

Team Corally has undertaken an extensive research and development program to provide 'Team' quality motors for everyone. Every aspect of motor design, construction and manufacture has been the subject of investigation. The Team Corally modified 300 series is the result.

Team Corally motors do not use 'cheap' gimmicks to sell motors, they rely on superior engineering, craftsmanship and on the track performance. Since the 'motor program' was born Team Corally modifieds have been tested on all types of circuits, worldwide. During that time Team Corally modifieds have won EFRA Grand Prix's too numerous to mention and are current European Champions in both 1/10 and 1/12 scale track racing where we all know performance is a major factor.



### The features:

- High torque ultra wet 4.9 magnets make sure that the performance of the motor does not deteriorate due to heat build up during a race.
  - Dynamically Balanced up to 0.001 grams by using setting putty which does not reduce the magnetic field like drilling holes does.
  - Corally motors use precision 'diamond cut' run-in brushes to avoid the harmful running-in process.
  - The super tight ultra neat windings are responsible for the perfect electro magnetic balance.
  - Ultra composite endbell: Lightweight design with brush heat sinks.
  - Alloy endbell: Provides added heat dissipation and good looks.
- Price: US \$ 92,00 Hfl. 180,00
- Price: US \$ 111,00 Hfl. 210,00

Nylon endbell	Alloy endbell		
Part no.	Part no	Turns	Winds
341043	341044	10	quad
341133	341134	11	triple
341213	341214	12	single
341223	341224	12	double
341323	341324	13	double
341333	341334	13	triple
341343	341344	13	quad
341423	341424	14	double
341433	341434	14	triple
341443	341444	14	quad
341523	341524	15	double
341543	341544	15	quad
341623	341624	16	double
341713	341714	17	single
341723	341724	17	double
341823	341824	18	double
341923	341924	19	double
342023	342024	20	double

### Corally brushes and springs:

Brushes:	Part	US \$	Hfl.
Silver	30552	5,25	9,95
Run-in	30550	5,80	11,00
Cut	30551	6,90	13,00
<b>Springs:</b>			
Soft ( 90 deg)	30490	4,20	8,00
Hard (135 deg)	30491	4,20	8,00
Capacitors	30555	1,60	2,95

